



STULZ Micro DC

The modular solution for scalable IT workloads up to 80 kW per rack

STULZ delivers reliable, efficient, and scalable IT environments



STULZ is a privately owned, global manufacturer of highly efficient precision cooling and humidity management technology. This technology, with decades of experience, research and engineering, is combined with strategic partnerships of IT enclosure and direct liquid-to-chip cooling experts. The result is an all-in-one data center solution that is configured and delivered to you, ready to go.

STULZ is a global organization with head office in Hamburg. We ensure proximity to our customers with 19 subsidiaries, 10 production sites, and sales and service partners in more than 140 countries.



Technical excellence

Decades of experience combined with a constant drive for innovation is what makes STULZ unique. From engineer to customer consultant, we work together in close-knit teams, to develop and continuously optimize mission critical solutions for data center and IT professionals. STULZ systems are extremely reliable and durable, which at the same time setting global standards for energy efficiency.



High quality service worldwide

Our sales and service partners are located in over 140 countries. The resulting proximity to our customers allows fast response times. In addition, regular training courses and an active exchange of information ensure high quality and an extensive knowledge of all our products. This way, you can be sure your products are in the best hands and get the right maintenance - all over the world.

STULZ Micro DC – Scalable. Modular. Efficient.



The All-in-One Data Center – including critical power, distribution, fire suppression, physical security and cooling in one enclosure

The world is becoming even more complicated for data center experts and communication service providers. The number of networked devices continues to explode, leaving today's IT professionals with data traffic growing by as much as 50 % each year. Not to mention that networks need to handle local bandwidth-intensive operations with minimal latency.

The STULZ Micro DC provides a cost-effective solution to quickly build up local IT capacity where it is needed. This modular, highly efficient solution is easily scalable to meet both the needs of today and the growth of tomorrow – even in places where space is limited.


Every STULZ Micro DC can be configured for low to medium density IT loads, as well as a combination of Integrated Cooling Systems (ICS™) and Direct Contact Liquid Cooling (DCLC™) technology for highly dense IT workloads up to 80 kW per rack.

+ Advantages at a glance

- Fast configuration and delivery
- Suitable for non-data center environments
- "Drop-in" solution (quick to install and easy to expand)
- 19" standard rack available in three different heights and two different depths
- Incomparable level of scalability with modular cooling configurations
- Industry leading direct liquid-tochip cooling for highly dense IT workloads
- Each device is individually configured, tested and delivered
- Configurable UPS
- Worldwide sales and service network

The perfect solution for your application: The micro data center from STULZ

The STULZ Micro DC is a cost-efficient solution that delivers scalable, demand-driven IT resources, upgrades existing critical infrastructure or easily installs additional computing and storage power at the edge of your network.



Two versions and three rack sizes

The STULZ Micro DC is a 19" standard rack that is available in three different heights: 40, 45 and 48 U; and two different depths: 1250 mm and 1450 mm. Availability depends on your region and can be determined using the configurator (Refer to page 6).





STULZ Micro DC – high performance Components of shown configuration: STULZ ICSTM – side-mounted cooling solution STULZ E^2 – microprocessor Compatible with Direct Contact Liquid Cooling (DCLCTM)

STULZ Micro DC – standard Components of shown configuration: STULZ ICS[™] – side-mounted cooling solution STULZ C2020 – microprocessor

Climate. Customized. – Modular and scalable solutions

The STULZ Micro DC can be configured with all the key design aspects of a brick and mortar data center, including critical power distribution, fire suppression, physical security, and precision cooling. All configurations of the STULZ Micro DC include a 19" standard rack, which can be easily equipped with accessories such as a UPS, PDU, cable management system, LED lights, software for environmental monitoring, etc.



Heavy duty steel construction with powder coat finish





Video surveillance system CCTV recordings for monitoring the STULZ Micro DC



Fire alarm system Fire monitoring and release of extinguishing agent



Cable management Universal cable tray with horizontal cable management



Power distribution Smart PDUs with environmental probe & temperature humidity sensor



Monitoring and security Remote Infrastructure Management



Electronic Cabinet Access Security access with integrated card reader

Additional options

- Additional security options
- Alarms
- UPS

- Lighting
- Further options on request

You have additional requirements? We can customize the solution to match your needs.

Scalability – Grows with your IT requirements

Rack configuration

Traditional data centers and server rooms often need to be planned years in advance. Costly restructuring is not uncommon. The STULZ Micro DC offers an incomparable level of scalability that makes it possible to grow with the requirements. Depending on the requirements, the STULZ Micro DC can grow from a 1-rack configuration with 3 kW to a multi-rack configuration with a heat load of up to 80 kW per rack. The STULZ Micro DC can thus drastically reduce your investment costs in IT infrastructure.



Configurator

Configure your STULZ Micro DC according to your requirements. The configurator helps you to choose the right rack and cooling configuration.



Where Will The Unit Be Deployed? More Information >	
○ US/Canada	
Next	

Get to the Micro Data Center Configurator



What is Direct Contact Liquid Cooling (DCLC™)?

DCLC[™] is Direct Liquid Cooling that utilises the exceptional thermal conductivity of liquid to provide dense, concentrated cooling for target surfaces. DCLC[™] drastically reduces dependency on fans or air handlers. Extreme high rack densities are possible, power consumed by the cooling system drops leaving more power available for computing. Each server in each rack can be liquid cooled with CoolIT Systems. Customer operating expenses are reduced tangibly and measurably.

Direct liquid-to-chip cooling – The time is right for your data center

- Higher density cooling to enable maximum utilization of rack and data center space
- Not just for high performance data centers
- Leading chip manufacturers are developing processors that need to be liquid cooled
- A processor that runs at lower temperature works more reliably
- Artificial intelligence, virtual reality and extensive data collection applications:

The demand for high-performance parallel processing of data is growing

- Patented cold plate technology supports CPU, GPU, ARM and additional interposer, heat pipes or heat spreaders
- Reliable stainless steel manifolds with "Dry Beak" quick connect technology in a vertical housing
- Factory-installed servers are available from HPE, Dell EMC, Intel and more
- Each server in each rack can be liquid cooled
- Retrofit or new installation



Server Modules

CoolIT Systems' Rack DCLC Server Module components are passive cold plates managed via a centralized pumping architecture. These cold plate assemblies can cool any combination of CPU, GPU, and Memory components, with customization available for Voltage Regulators, ASIC, and FPGA. Servers remain hot-swappable and simple to service.



Manifold Module

The Rack DCLC Manifold Module manages to liquid distribution between the Heat Exchange Module and any number of Server Modules. Installed vertically, manifolds can be customized to suit any rack environment. Manifold Modules are incredibly reliable and robust, utilizing a stainless-steel body combined with 100 % non-drip, metal Quick Disconnects.



Heat Exchange Module

CoolIT Systems' Rack DCLC product line offers a variety of Heat Exchange Modules depending on load requirements and availability of facility water, including rack-mount CHx80 or CHx40. Featuring sophisticated monitoring systems, these liquid-to-liquid heat exchangers utilize centralized pumping architecture to ensure superior performance and reliability.

Modular configuration – With precision air and direct liquid-to-chip cooling



The side-mounted cooling solution: Integrated Cooling System (ICS™)

- The solution for side-mounting provides 5-25 kW of cooling capacity
- Minimal energy consumption
- Precise temperature control
- Available as cooling systems with chilled water, air, water and glycol
- EC Fans can be controlled independently of each other for optimum adaptation to different return air and supply air temperatures
- Maintenance access on front and back





The internally mounted cooling solution: Integrated Cooling System (ICS™)

- Internal 3-5 kW (6U) per unit for additional cooling
- Minimal energy consumption
- Precise temperature control
- Available as cooling system with chilled water





Direct Liquid-to-Chip Cooling: Direct Contact Liquid Cooling (DCLC™)

- up to 80 kW of chip level cooling per rack (at 30 °C facility water)
- Internal mount utilizes 2U-4U
- Manages more than 120 servers
- Quick and easy maintenance
- Requires only 652 W
- Servers remain hot-swappable for service
- High temperature return water can be reused for heat recovery



Modular and scalable from low to high density IT loads

Example: Cooling configurations with a 48U rack



Rack with internal ICS Included units: 48U Space required for cooling: 6U Remaining units: 42U



Rack with side ICS Included units: 48U Space required for cooling: OU Remaining units: 48U



Rack with side ICS + DCLC Included units: 48U Space required for cooling: 4U Remaining units: 44U



Rack with two times side ICS + DCLC Included units: 48U Space required for cooling: 4U

Remaining units: 44U



USA

GERMANY

AUSTRIA

BELGIUM

BRAZIL

FRANCE

MEXICO

POLAND

SPAIN

SINGAPORE

NETHERLANDS

NEW ZEALAND

SOUTH AFRICA

UNITED KINGDOM

CHINA

INDIA

ITALY

AUSTRALIA

STULZ North American Headquarters

STULZ AIR TECHNOLOGY SYSTEMS (STULZ USA), INC. 1572 Tilco Drive | Frederick, MD 21704 Tel. 301.620.2033 | Fax 301.662.5487 info@stulz-ats.com

STULZ Subsidiaries

STULZ Australia Pty. Ltd. 34 Bearing Road Seven Hills NSW 2147 Tel. +61(2)96744700 Fax +61(2)96746722 sales@stulz.com.au

STULZ Austria GmbH

Industriezentrum NÖ – SÜD, Straße 15, Objekt 77, Stg. 4, Top 7 2355 Wiener Neudorf Tel. +43 1 615 99 81-0 Fax +43 1 615 99 81-80 info@stulz.at

STULZ Belgium BVBA

Tervurenlaan 34 1040 Brussels Tel. +32(470)292020 info@stulz.be

STULZ Brasil

Ar Condicionado Ltda. Rua Cancioneiro de Évora, 140 Bairro - Santo Amaro São Paulo-SP, CEP 04708-010 Tel. +551141634989 Fax +551123896620 comercial@stulzbrasil.com.br

STULZ España S.A.

Avenida de los Castillos 1034 28918 Leganés (Madrid) Tel. +34(91)5178320 Fax +34(91)5178321 info@stulz.es

STULZ France S. A. R. L.

107, Chemin de Ronde 78290 Croissy-sur-Seine Tel. +33(1)34804770 Fax +33(1)34804779 info@stulz.fr

STULZ S.p.A. Via Torricelli, 3

37067 Valeggio sul Mincio (VR) Tel. +39(045)6331600 Fax +39(045)6331635 info@stulz.it

STULZ-CHSPL

(India) Pvt. Ltd. 006, Jagruti Industrial Estate Mogul Lane, Mahim Mumbai - 400016 Tel. +91(22)56669446 Fax +91(22)56669448 info@stulz.in

STULZ México S.A. de C.V.

Avda. Santa Fe No. 170 Oficina 2-2-08, German Centre Delegación Alvaro Obregon MX- 01210 México Distrito Federal Tel. +52(55)52928596 Fax +52(55)52540257 ventas@stulz.com.mx

STULZ GROEP B. V.

Postbus 75 180 AB Amstelveen Tel. +31(20)5451111 Fax +31(20)6458764 stulz@stulz.nl

STULZ New Zealand Ltd.

Office 71, 300 Richmond Rd. Grey Lynn, Auckland Tel. +64(9)3603232 Fax +64(9)3602180 sales@stulz.co.nz

STULZ Global Headquarters

STULZ GmbH

Holsteiner Chaussee 283 | 22457 Hamburg Tel. +49 40 5585-0 | Fax +49 40 5585-352 products@stulz.de

STULZ Polska SP. Z O.O.

Budynek Mistral. Al. Jerozolimskie 162 02 – 342 Warszawa Tel. +48(22)8833080 Fax +48(22)8242678 info@stulz.pl

STULZ Singapore Pte Ltd.

33 Ubi Ave 3 #03-38 Vertex Singapore 408868 Tel. +6567492738 Fax +6567492750 andrew.peh@stulz.sg

STULZ Air Technology and

Services Shanghai Co., Ltd. Room 406, Building 5 457 North Shanxi Road Shanghai 200040 Tel: + 86 21 3360 7101 Fax:+ 86 21 3360 7138 info@stulz.cn

STULZ South Africa Pty. Ltd.

Unit 3, Jan Smuts Business Park Jet Park, Boksburg Gauteng, South Africa Tel. +27(0) 11 397 2363 Fax +27(0) 11 397 3945 aftersales@stulz.co.za


STULZ U. K. Ltd.

First Quarter, Blenheim Rd. Epsom Surrey KT 19 9 QN Tel. +44(1372)749666 Fax +44(1372)739444 sales@stulz.co.uk



STULZ has multiple manufacturing sites in Europe, North America and Asia, as

well as hundreds of subsidiaries and partners around the world.





You can find out more on our product page.